

**STUDY REPORT W&AR-5
SALMONID INFORMATION INTEGRATION & SYNTHESIS**

ATTACHMENT A

**INFORMATION SOURCES PROVIDED FOR REVIEW BY
RELICENSING PARTICIPANTS AS PART OF CONSULTATION
PROCESS FOR WORKSHOPS NO. 1 AND NO. 2**

**Citations and Information Sources submitted by Relicensing Participants
following the April 10, 2012 and June 26, 2012 Salmonid Information Synthesis
Workshops**

- CDFG (California Department of Fish and Game). 1987. The Status of San Joaquin Drainage Chinook Salmon Stocks, Habitat Conditions and Natural Production Factors. Prepared for the State Water Resources Control Board Bay/Delta hearing process, Phase I. CDFG exhibit # 15. California Dept. of Fish and Game, Fresno CA.
- _____. 2009a. Direct testimony of Andrew G. Gordus, Ph. D. Exhibit DFG-4 submitted by the California Department of Fish and Game before Charlotte J. Hardnett, presiding Administrative Law Judge in a Proceeding on Interim Conditions pending relicensing (128 FERC ¶ 61,035).
- _____. 2009b. Tuolumne River Water Temperature and Chinook salmon. Tables 1 through 4. Exhibit DFG-7 submitted by the California Department of Fish and Game before Charlotte J. Hardnett, presiding Administrative Law Judge in a Proceeding on Interim Conditions pending relicensing (128 FERC ¶ 61,035).
- _____. 2011. Revised study requests and comments, Turlock and Modesto Irrigation Districts' Proposed Study Plan Don Pedro Hydroelectric Project (FERC Project No. 2299-075), Tuolumne River, California. By Central Region, Fresno, Ca. October 24, 2011. 101 pp.
- CVRWQCB (Central Valley Regional Water Quality Control Board). 2009a. Draft 2008 California 303(d)/305(b) Integrated Report-Supporting Information for Regional Board 5-Central Valley Region. Staff Report to the California Central Valley Regional Water Quality Control Board Documenting Evidence to List Water Temperature as Impaired in the Tuolumne River. (excluding appendices)
- _____. 2009b. Clean Water Act Section 305(b) and 303(d) Integrated Report for the Central Valley Region-May 2009 Draft Final Report, Appendix A. Staff Report to CVRWQB Regarding Proposed Additions to and Deletions from the 303(d) list for the Central Valley Region.
- Del Real, S.C. and M. Saldate. 2011. Lower Mokelumne River upstream fish migration monitoring conducted at Woodbridge Irrigation District Dam, August 2010 through July 2011. East Bay Municipal Utility District, Lodi, California. August.
- del Rosario, R.B., Y.J. Redler, and P. Brandes. 2009. Residence of winter-run Chinook salmon in the Sacramento-San Joaquin Delta: The role of Sacramento River hydrology in driving juvenile abundance and migration patterns in the Delta. Abstract. 28th Annual Salmonid Restoration Federation & 44th Annual AFS Cal-Neva Conference.
- Evans, A.F., D.D. Roby, K. Collis, B.M. Cramer, J.A. Sheggeby, L.J. Adrean, D.S. Battaglia, and D.E. Lyons. 2011. Recovery of coded wire tags at a Caspian tern colony in San

- Francisco Bay: A technique to evaluate impacts of avian predation on juvenile salmonids. *North America Journal of Fisheries Management* 31: 79-87
- Federal Energy Regulatory Commission. 2011. Study Plan Determination for the Don Pedro Hydroelectric Project. December 22, 2011. 146 pp.
- _____. 2012. Order Clarifying Proceeding on Interim Conditions, 139 FERC ¶ 61,045, Project No. 2299-076. April 19, 2012. 23 pp.
- Foote, C.J., and G.S. Brown. 1998. The ecological relationship between slimy sculpins (*Cottus cognatus*) and beach spawning sockeye salmon (*Onchorhynchus nerka*) in Iliamna Lake, Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 55(6):1524-1533.
- FISHBIO Environmental (FISHBIO). *No Date*. Annual Tuolumne River Rotary Screw Trap Reports. Available: <<http://www.tuolumnerivertac.com/documents.htm>>
- Fuller, A., and C. Sonke. 2006. Rotary Screw Trap Summary Update. Report 2006-5 In 2006 Lower Tuolumne River Annual Report of the Turlock and Modesto Irrigation Districts Pursuant to Article 58 of the License for the Don Pedro Project, No. 2299. Prepared by FISHBIO LLC, Oakdale, CA.
- Gordus, A. G. 2009. Direct testimony of Andrew G. Gordus, Ph. D., on Behalf of the California Department of Fish and Game, Exhibit No. DFG-4. 16 pp.
- Greeley, J.R. 1932. The spawning habits of brook, brown and rainbow trout, and the problem of egg predators. *Transactions of the American Fisheries Society* 62:239-248.
- Heyne, T. 2009. Direct Testimony of Timothy Heyne on Behalf of the California Department of Fish and Game, Exhibit No. DFG-2. 21 pp.
- Idyll, C. 1942. Food of rainbow, cutthroat and brown trout in the Cowichan River system, B.C. *Journal of Fisheries Research Board of Canada* 5:448-458.
- Jager, H., H.E. Cardwell, M.J. Sale, M.S. Bevelhimer, C.C. Coutant, W. Van Winkle. 1997. Modeling the linkages between flow management and salmon recruitment in rivers. *Ecological Modeling* 103:171-191.
- Jeffres, C.A., J.J. Opperman, and P.B. Moyle. 2008. Ephemeral floodplain habitats provide best growth conditions for juvenile Chinook salmon in a California river. *Environ Biol Fish* (2008) 83:449-458.
- Johnson, J.H. 1981. Predation on the eggs of steelhead trout by stream salmonids in a tributary of Lake Ontario. *The Progressive Fish-Culturist* 43(1):36-37.
- Johnson, J.H., and N.H. Ringler. 1981 Predation on Pacific salmon eggs by salmonids in a Tributary of Lake Ontario. *Journal of Great Lakes Research* 5(2):117 -181.

- Johnson, J.H., C.C. Nack, and M.A. Chalupnicki. 2009. Predation by fallfish (*Semotilus corporalis*) on Pacific salmon eggs in the Salmon River, New York. *Journal of Great Lakes Research* 35(4):630-633.
- Kozlowski, J.F. 2004. Summer Distribution, Abundance, and Movements of Rainbow Trout (*Oncorhynchus mykiss*) and other Fishes in the Lower Yuba River, California. Master's thesis. University of California, Davis.
- Lindley, S.T., R.S. Schick, E. Mora, P.B. Adams, J.J. Anderson, S. Greene, C. Hanson, B.P. May, D.R. McEwan, R.B. MacFarlane, C. Swanson, and J.G. Williams. 2007. Framework for assessing viability of threatened and endangered salmon and steelhead in the Sacramento-San Joaquin Basin. *San Francisco Estuary and Watershed Science* Volume 5, Issue 1 [February 2007], article 4.
- Loudermilk, W.E. 2007. Temperature water quality standards for the protection of anadromous fish in the Stanislaus River, Merced River, Stanislaus River (sic), Tuolumne River and the San Joaquin River. Report to Regional Water Quality Control Board by Department of Fish and Game, Region 4, Fresno. February 28.
- Marston, D.D. 2005. San Joaquin River Fall-run Chinook salmon population model. Final Draft 11-28-05. San Joaquin Valley Southern Sierra Region. November 2005.
- Marston, D., T. Heyne, A. Hubbard, W. Getz, L. Rachowicz, M. Daugherty, A. Dotan, I. Mlaker and R. Starfield. 2008. California Department of Fish and Game San Joaquin River fall-run Chinook salmon population model peer review: response to peer review comments initial response. California Department of Fish and Game Report to the California State Water Resources Control Board.
- McCullough, D. A., S. Spalding, D. Sturdevant, and M. Hicks. 2001. Summary of technical literature examining the physiological effects of temperature on salmonids. U.S. Environmental Protection Agency, Report EPA-910-D-01-005, Seattle
- Mesick, C.F. 2009. The High Risk of Extinction for the Natural Fall-Run Chinook Salmon Population in the Lower Tuolumne River due to Insufficient Instream Flow Releases. Report prepared for the U.S. Fish and Wildlife Service, Sacramento, CA.
- Mesick, C. 2010. Relationships between Flow, Water Temperature, and Exports in the Stanislaus, Tuolumne, and Merced rivers near their confluences with the San Joaquin River and in the San Joaquin River near Mossdale from March 15 To May 15. Prepared for California Sportfishing Alliance, by Carl Mesick Consultants, El Dorado, California. February.
- Mesick C., D. Martson and T. Heyne. 2009a Estimating recruitment for fall-run Chinook salmon populations in the Stanislaus, Tuolumne, and Merced Rivers Instream Energy Flow Branch. 26 August.

- Mesick, C., J. McLain, D. Marston, and T. Heyne. 2008. Limiting factor analyses & recommended studies for fall-run Chinook salmon and rainbow trout in the Tuolumne River. Draft report. U.S. Fish and Wildlife, National Marine Fisheries Service, California Department of Fish and Game.
- Myrick, C.A., and J.J. Cech, Jr. 2001. Temperature effects on Chinook salmon and steelhead: a review focusing on California's Central Valley populations. Bay-Delta Modeling Forum Technical Publication 01-1
- Newman, K. 2008. An Evaluation of Four Sacramento-San Joaquin River Delta Juvenile Salmon Survival Studies. Report to the CalFed Science Program (Project Number SCI-06-G06-299).
- Nichols, K., and J.S. Foote. 2002. Health monitoring of hatchery and natural fall-run Chinook salmon juveniles in the San Joaquin River and Tributaries, April – June 2001. U.S. Fish & Wildlife Service, California- Nevada Fish Health Center, Anderson, California. November 2002.
- Nickelson, T.E. 2003. The influence of hatchery coho salmon (*Oncorhynchus kisutch*) on the productivity of wild coho salmon populations in Oregon coastal basins. Canadian Journal of Aquatic and Fisheries Sciences 60:1050–1056.
- NMFS (National Marine Fisheries Service). 2009. Tuolumne River Salmonid Habitat Mapping, Figures 1 through 4. Exhibit DFG-19 submitted by the California Department of Fish and Game before Charlotte J. Hardnett, presiding Administrative Law Judge in a Proceeding on Interim Conditions pending relicensing (128 FERC 61,035).
- Nobriga, M.L., Z. Matica, and Z. Hymanson. 2004. Evaluating entrainment vulnerability to agricultural irrigation diversions: a comparison among open-water fishes. American Fisheries Society Symposium 39:281-295
- Quinn, T.R., T.R. Seamons & S.P. Johnson. 2012. Stable isotopes of carbon and nitrogen indicate differences in marine ecology between wild and hatchery-produced steelhead. Transactions of the American Fisheries Society 141:526-532
- Quist, M.C., K.L. Bonvechio, M.S. Allen. 2009. Statistical analysis and data management. Pages 171-194 in S.A. Bonar, W.A. Hubert, and D.W. Willis, editors. Standard methods for sampling North American freshwater fishes. American Fisheries Society, Bethesda, Maryland.
- Reed, R.J. 1967. Observation on fish associated with spawning salmon. Transactions of the American Fisheries Society 96:62-67.
- Rich, A.A. 2007. Impacts of water temperature on fall-run Chinook salmon (*Oncorhynchus tshawytscha*) and steelhead (*O. mykiss*) in the San Joaquin River system. A. Rich and Associates. Fisheries and Ecological Consultants. San Anselmo, California. Prepared for

the California Department of Fish and Game as expert opinion and testimony to the California Regional Water Quality Control Board, Central Valley Region. Sacramento, California.

Ruggerone, G.T., R.M. Peterman, B. Dorner, and K.W. Myers. 2010. Magnitude and trends in abundance of hatchery and wild pink salmon, chum salmon, and sockeye salmon in the North Pacific Ocean. *Marine and Coastal Fisheries: Dynamics, Management, and Ecosystem Science* 2:306–328.

Shapovalov, L., and A.C. Taft. 1954. The Life Histories of the Steelhead Rainbow Trout (*Salmo gairdneri gairdneri*) and Silver Salmon (*Oncorhynchus kisutch*) with Special Reference to Waddell Creek, California, and Recommendations Regarding Their Management. Pages 1-304 in CDFG Fish Bulletin 98.

SJRGA (San Joaquin River Group Authority). *No Date*. Annual Technical Reports. Available: <http://www.sjrg.org/technicalreport/default.htm>

Sommer, T.R., M.L. Nobriga, W.C. Harrell, W. Batham, and W J. Kimmerer. 2001. Floodplain rearing of juvenile Chinook salmon: evidence of enhanced growth and survival. *Canadian Journal of Fisheries and Aquatic Sciences* 58:325-333.

Stauffer, T.M. 1971. Salmon eggs as food for stream salmonids and sculpins. Michigan Department of Natural Resources, Research Development Report 233:10.

Stillwater Sciences and McBain and Trush. 2006. Lower Tuolumne River Predation Assessment Final Report. Prepared for the Tuolumne River Technical Advisory Committee, Turlock and Modesto Irrigation Districts, USFWS Anadromous Fish Restoration Program, and California Bay-Delta Authority, by Stillwater Sciences, Berkeley, California and McBain and Trush, Arcata, California

USBR (United States Bureau of Reclamation). 2008. Biological Assessment on the Continued Long-term Operations of the Central Valley Project and the State Water Project U.S. Department of the Interior Bureau of Reclamation Mid-Pacific Region Sacramento, California.

USEPA (U.S. Environmental Protection Agency). 2003. EPA Region 10 Guidance for Pacific Northwest State and Tribal Temperature Water Quality Standards. EPA 910-B-03-002. Region 10 Office of Water, Seattle, Washington.

USFWS (United States Fish and Wildlife Service). 1995. Working paper on restoration needs: Habitat restoration actions to double natural production of anadromous fish in the Central Valley of California. Volumes 1, 2, 3. May 9, 1995. Prepared for the U.S. Fish and Wildlife Service under the direction of the Anadromous Fish Restoration Program. Stockton, California.

- _____. 2001. Final restoration plan for the Anadromous Fish Restoration Program: a plan to increase natural production of anadromous fish in the Central Valley of California. Prepared for the U.S. Fish and Wildlife Service under the direction of the Anadromous Fish Restoration Program. Stockton, California.
- _____. 2008. Flow-overbank inundation relationship for potential fall-run Chinook salmon and steelhead/rainbow trout juvenile outmigration habitat in the Tuolumne River. 15 p.
- Wells, B., C. Grimes, and J. Waldvogel. 2007, Quantifying the effects of wind, upwelling, curl, sea surface temperature and sea level height on growth and maturation of a California Chinook salmon (*Oncorhynchus tshawytscha*) population. Fisheries Oceanography 16:363–382.
- Yoshiyama, R.M., E.R. Gerstung, F.W. Fisher, and P.B. Moyle. 2001. Historical and present distribution of Chinook salmon in the Central Valley drainage of California. Pages 71-176 in R. Brown, editor. Contributions to the biology of Central Valley salmonids. CDFG Fish Bulletin 179.
- Zimmerman C.E., G. Edwards, and K. Perry. 2009, Maternal origin and migratory history of steelhead and rainbow trout captured in rivers of the Central Valley, California, Trans. Amer. Fish Society 138:280-291.